



SOUTHWEST BUSINESS PRODUCTS LTD.

From Bindings to Branding



CUTTERS

VRCUⁱ
CUT WITH CONFIDENCE
by **LYTROD**
SOFTWARE

A revolutionary tool to create and cut documents with ease is standard on 5260, 5560, 6660 and 7260 models!

A must in every print shop. Cutters are used for cutting business cards, reams of paper and more.

Southwest helps you by taking in your used equipment as a trade-in towards the purchase of brand new equipment

Interested in upgrading to new equipment, but you're not sure what to do with your existing one? Do you have equipment lying around that you are no longer using? Want to save even more money on the purchase of new equipment?

We will consider all trade-ins regardless of what you are buying. Looking for a new laminator, but need to clear out space by removing the binding equipment you are no longer using?

We can take care of that for you.



HALIFAX NS
902.477.0382

MONTREAL QC
514.694.7741

OTTAWA ON
613.744.7004

TORONTO ON
416.285.7044

CALGARY AB
403.717.1707

VANCOUVER BC
604.574.9508

model overview

Cutters



Manual Cutters

tamerica
PRODUCTS, INC.



Guillomax
(with optional stand)

MBM
CORPORATION



4305
(with optional stand)

	Guillomax manual tabletop	Triumph 4305 manual tabletop
SKU	MAGUILLOMAX	MARL4305
Cutting width	17"	16 ⁵ / ₈ "
Cutting height	1 ¹ / ₂ "	1 ¹ / ₂ "
Narrow cut	-	1 ⁵ / ₁₆ "
Length behind blade	-	17"
Blade drive	manual	manual
Clamp type	-	fast-action lever
Foot pedal for pre-clamping	-	-
Back gauge	manual	manual
Manual back gauge setting mechanism	-	calibrated hand crank
Measurement indication	table top guide scale (mm/inch)	side guide scale (mm/inch)
Electronic back gauge control	-	-
Programmability	-	-
Air table (front and rear)	-	-
Optical cutting line indicator	-	-
Front table safety element	-	transparent guard
3-step front table illumination	-	-
Patented EASY CUT blade activation bars	-	-
Drop-in tool holder on rear table	-	-
Optional accessories	stand or cabinet	stand or cabinet
Electrical requirements	-	-
Motor output	-	-
Dimensions (D x W x H)	28" x 20" x 14"	4 ⁵ / ₈ " x 34 ⁵ / ₈ " x 15 ³ / ₄ " (45 ¹ / ₄ " / 44 ²)
Shipping weight	77 lbs	115 (141 ¹ / 210 ²) lbs

¹ with stand ² with cabinet ³ with side tables *available by special order only

See back for more Cutters and Warranty Information



■ High Quality Blades

All Triumph cutter models feature high quality, German steel blades.



■ Side Guide Back Gauge Scale

A measurement scale on the side of the machine guide, ensures precise back gauge setting (model 4305).



■ Fast-Action Clamp

Throw the lever on the fast-action clamp to tighten, then cut (models 4305 and 4315).

Automatic Cutters



Triumph 4315 semi-automatic tabletop	Triumph 4350 automatic tabletop	Triumph 4815 semi-automatic	Triumph 4850 automatic
MARL4315	MARL4250	MARL4815	MARL4850
16 $\frac{1}{8}$ "	16 $\frac{1}{8}$ "	18 $\frac{5}{8}$ "	18 $\frac{5}{8}$ "
1 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	3"	3"
1 $\frac{3}{8}$ "	1 $\frac{3}{8}$ "	1"	1"
17"	17"	18"	18"
electric	electric	electric	electric
fast-action lever	automatic	spindle	automatic
-	-	-	-
manual	manual	manual	manual
calibrated hand crank	calibrated hand crank	calibrated hand crank	calibrated hand crank
digital display (cm/inch)	digital display (cm/inch)	digital display (cm/inch)	digital display (cm/inch)
-	-	-	-
-	-	-	-
-	-	-	-
●	●	●	●
electronic, transparent guard	electronic, transparent guard	electronic, transparent guard	electronic, transparent guard
-	-	-	-
●	●	●	●
-	-	●	●
stand or cabinet	stand or cabinet	side tables	side tables
115 V, 60 Hz, 15 Amps	115 V, 60 Hz, 15 Amps	115 V, 60 Hz, 15 Amps	115 V, 60 Hz, 20 Amps
$\frac{3}{8}$ hp	$\frac{3}{8}$ hp	1 $\frac{1}{2}$ hp	2 hp
34 $\frac{1}{4}$ " x 25" x 14" (42 $\frac{3}{4}$ ¹ / 42 $\frac{1}{2}$ ²)	34 $\frac{1}{4}$ " x 25" x 14" (42 $\frac{3}{4}$ ¹ / 42 $\frac{1}{2}$ ²)	41 $\frac{1}{2}$ " x 30" (53 ³) x 55 $\frac{1}{2}$ "	41 $\frac{1}{2}$ " x 30" (53 ³) x 51"
191 (217 ¹ / 286 ²) lbs	200 (226 ¹ / 295 ²) lbs	531 (552 ³) lbs	556 (577 ³) lbs

¹ with stand ² with cabinet ³ with side tables *available by special order only

See back for more Cutters and Warranty Information




■ Safe Blade Changes

Blade changes can be made without removing the covers, this way the device covers the cutting edge of the blade.



■ Easy Cut Blade Bars

Patented EASY CUT blade activation bars ensure true, two-handed operation (models 4315 and above).



■ Optical Cutting Line

The optical cutting line indicator ensures perfect alignment of cutting marks for the perfect cut (models 4315 and above).

Automatic Cutters *(continued)*



Triumph 5255 automatic programmable	Triumph 5260 automatic programmable	Triumph 6655 automatic programmable	Triumph 6660 automatic programmable
MARL5255	MARL5260	MARL6655	MARL6660
20 $\frac{3}{8}$ "	20 $\frac{3}{8}$ "	25 $\frac{1}{2}$ "	25 $\frac{1}{2}$ "
3"	3"	3"	3"
1 $\frac{3}{8}$ "	1 $\frac{3}{8}$ "	1"	1"
20 $\frac{3}{8}$ "	20 $\frac{3}{8}$ "	24"	24"
electric	electric	electric	electric
automatic	automatic	automatic	automatic
-	-	-	-
electric	electric	electric	electric
electronic hand wheel	electronic hand wheel	electronic hand wheel	electronic hand wheel
digital display (cm/inch)	digital display (cm/inch)	digital display (cm/inch)	digital display (cm/inch)
touchpad module	touchpad module	touchpad module	touchpad module
99 programs (99 steps each)	99 programs (99 steps each)	99 programs (99 steps each)	99 programs (99 steps each)
-	-	-	-
●	●	●	●
electronic, transparent guard	IR light beam safety curtain	electronic, transparent guard	IR light beam safety curtain
-	●	-	●
●	●	●	●
●	●	●	●
side tables	side tables	side tables	side tables
115 V, 60 Hz, 20 Amps	115 V, 60 Hz, 20 Amps	115 V, 60 Hz, 20 Amps	115 V, 60 Hz, 20 Amps
2 hp	2 hp	2 hp	2 hp
44" x 33 $\frac{7}{8}$ " (56 $\frac{1}{2}$) x 51"	44" x 33 $\frac{7}{8}$ " (56 $\frac{1}{2}$) x 51"	48" x 39" (61 $\frac{1}{2}$) x 51"	48" x 39" (61 $\frac{1}{2}$) x 51"
648 (669 ³) lbs	657 (677 ³) lbs	531 (552 ³) lbs	556 (577 ³) lbs

¹ with stand ² with cabinet ³ with side tables *available by special order only

See back for more Cutters and Warranty Information



■ Front Table Digital Display

A digital measurement display allows precise positioning of back gauge (models 4315-4850).



■ VRCut Controller

Controller software is installed on PC device directly connected to cutter (models 5260, 5560, 6660 and 7260).



■ Easy-To-Use Touchpad

A multilingual, programmable touchpad module controls the back gauge (models 5255-5560).

Hydraulic Cutters



Triumph 5560 programmable hydraulic	Triumph 7260 programmable hydraulic	Triumph Speedcut 56 programmable hydraulic
MARL5560LT	MARL7260	MARL56SP
21 ⁵ / ₈ "	28"	22"
3 ³ / ₄ " (3 ⁵ / ₈ " with false clamp)	3" (with & without false clamp)	3.15"
3 ³ / ₄ " (3 ⁵ / ₈ " with false clamp)	3 ¹ / ₄ " (3 ¹ / ₂ " with false clamp)	< 0.6"
22 ⁷ / ₁₆ "	28"	28"
hydraulic	hydraulic	Electro-mechanical precision
adjustable hydraulic	adjustable hydraulic	hydraulic
●	●	●
electric	electric	electric
electronic hand wheel	electronic hand wheel	ergonomic control element
digital display (cm/inch)	digital display (cm/inch)	digital display (cm/inch)
touchpad module	keypad module	manual
99 programs (99 steps each)	99 programs (99 steps each)	Speedcut integrated software
-	●	●
●	●	●
IR light beam safety curtain	IR light beam safety curtain	IR light beam safety curtain
-	-	dimmable front table LEDs
●	●	●
●	●	●
side tables	side tables	side tables
115 V, 60 Hz, 20 Amps	220 V, 3 phase	120 V, 60 Hz, 20 amp
2 hp	2 hp	2 hp
55" x 42" (64 ³) x 54"	60 ¹ / ₂ " (63") x 51 ¹ / ₈ " (82 ¹ / ₂ ³) x 52 ¹ / ₂ "	48" x 39" x 60"
970 (1,008 ³) lbs	1,534 (1,622 ³) lbs	668 lbs

¹ with stand ² with cabinet ³ with side tables *available by special order only

See back for more Cutters and Warranty Information



■ IR Safety Curtain

The IR light beam safety curtain ensures the highest level of operator safety (models 5260-6660, 5560, & 7260).



■ Programmable Back Gauge

The programmable back gauge control module is capable of storing 99 programs with up to 99 steps each. (models 5255-7260)



■ Air Table

Front and rear table air jets allow easy handling and jogging of large paper stacks (models 7260, Speedcut 56).

model overview Cutters

Challenge Series Cutters



Titan 200 BC



Titan 200



Champ 150

	Titan 200 BC Manual Backgauge Cutter	Titan 200 Hydraulic Cutter 21"	Champ 150 Hydraulic Cutter 15"
Cutting height	MARL200TITANBC	MARL200TITANLB	MACHCHAMP150
Cutting width	20"	20"	15"
Cutting height	3¼" (3" with false clamp)	3¼" (3" with false clamp)	2"
Narrow cut	½" (1⅛" with false clamp)	½" (1⅛" with false clamp)	1¼"
Length behind blade	20"	20"	-
Blade drive	hydraulic	hydraulic	hydraulic
Clamp type	adjustable hydraulic	adjustable hydraulic	adjustable hydraulic
Foot pedal for pre-clamping	-	●	-
Back gauge	manual	electric	manual
Manual back gauge setting mechanism	hand wheel	-	electronic hand wheel
Measurement indication	-	digital display (cm/inch)	digital display (cm/inch)
Optical cutting line indicator	●	●	●
Front table safety element	safety shield	safety shield	safety shield
Electrical requirements	115 V, 60 Hz, 20 A	230 V, 60 Hz, 12 A	120 V, 60 Hz, 20 A
Motor output	2 hp	1½ hp	2 hp
Dimensions (D x W x H)	50½" x 36" x 53"	49½" x 36" x 53"	34" x 28" x 54"
Shipping weight	755 lbs	800 lbs	750 lbs

Southwest Equipment Warranty Plans

Call 1-877-285-7044 from anywhere in Canada for assistance

	Parts & Labour	On Site Repairs**	Demo & Training	Initial Diagnostic***
STANDARD WARRANTY	6 months	✓	(extra fees apply)	within 24 hours
1 YEAR PREMIUM WARRANTY	1 year	✓	✓	within 4 hours
2 YEAR EXTENDED WARRANTY	2 year	✓	✓	within 4 hours
MULTI YEAR WARRANTY	3+ years	✓	✓	within 4 hours
CLEARANCE EQUIPMENT WARRANTY	90 days	(extra fees apply)	(extra fees apply)	within 24 hours
RENEWAL OF EXISTING WARRANTY	1 year renewable (prior to expiration of current warranty)	✓	✓	within 4 hours

Refer to our website for prices and details: <https://www.southwestbusiness.ca/media/wysiwyg/documents/MIFL0126-equipment-warranty-terms.pdf>

* Excludes wearable parts, misuse or abuse. Damage is not covered. Wearable items are not covered (Dies, Cutter Knives, Belts, Rollers, Fuses, etc.).

** Available within 85km of service branch. If over 85km travel time will apply. Warranty Service is in our shop, Southwest will cover delivery costs within the Warranty period. Warranty Service for large equipment (cutters etc.) are for On-Site Service.

*** A diagnostic charge may apply.